

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|--------------------|------------------|---------|------------------|
| L1 | 1 | "6125390".pn. and analyz\$3 | US-PGPUB; USPAT | OR | OFF | 2005/07/24 14:29 |
| L2 | 1 | "6125390".pn. and request\$3 | US-PGPUB; USPAT | OR | OFF | 2005/07/24 14:50 |
| L3 | 1 | "20030023721" and identifier | US-PGPUB; USPAT | OR | OFF | 2005/07/24 14:55 |
| L4 | 0 | "5696486".pn. and traffic\$1 | US-PGPUB; USPAT | OR | OFF | 2005/07/24 14:55 |
| L5 | 6 | traffic\$1 near load near15 (alarm or alert) | US-PGPUB; USPAT | OR | OFF | 2005/07/24 14:56 |
| L6 | 756 | traffic\$1 near load and (alarm or alert) | US-PGPUB; USPAT | OR | OFF | 2005/07/24 14:56 |
| L7 | 171 | (alert or alarm) and traffic near load and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 14:58 |
| L8 | 3 | (alert or alarm).ab. and traffic near load and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 14:57 |
| L9 | 3 | (alert or alarm) same traffic near load and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 14:58 |
| L10 | 141136 | (alert or alarm) message\$1 and traffic near load and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 14:58 |
| L11 | 78 | (alert or alarm) near5 message\$1 and traffic near load and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:00 |
| L12 | 530 | (alert or alarm) same traffic and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:00 |
| L13 | 530 | (alert or alarm) same traffic and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:00 |
| L14 | 8 | determin\$6 near10 traffic near10 (alert or alarm) and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:10 |
| L15 | 16 | determin\$6 near10 load near10 (alert or alarm) and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:08 |
| L16 | 1 | traffic near10 load near10 (alert or alarm) and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:08 |
| L17 | 4 | traffic near10 load same (alert or alarm) and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:08 |
| L18 | 204 | traffic near3 load and (alert or alarm) and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:09 |
| L19 | 8 | traffic near3 load and (alert or alarm).ab. and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:10 |

| | | | | | | |
|-----|--------|---|-----------------|----|-----|------------------|
| L20 | 8 | (determin\$6 or identif\$5) near10 traffic near10 (alert or alarm) and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:10 |
| L21 | 0 | determin\$6 near10 traffic near3 load same (failure\$1 or fault\$1). ab. and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:11 |
| L22 | 8 | determin\$6 near10 traffic near3 load same (failure\$1 or fault\$1) and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:12 |
| L23 | 0 | determin\$6 near10 traffic near3 load same (error or event) and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:12 |
| L24 | 4 | determin\$6 near10 traffic near3 load and (alert or alarm) and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:13 |
| L25 | 1039 | determin\$6 near10 (traffic or load) and (alert or alarm) and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:13 |
| L26 | 91 | determin\$6 near10 (traffic or load) same (alert or alarm) and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:17 |
| L27 | 3 | determin\$6 near10 (traffic or load) same (alert or alarm).ab. and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:13 |
| L28 | 47 | (alert or alarm) near5 message\$1 near15 (traffic or load) and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:29 |
| L29 | 0 | anaylz\$6 near10 (alert or alarm) near15 (traffic or load) and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:57 |
| L30 | 0 | (traffic or load) and "5696486".pn. | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:40 |
| L31 | 1 | (alert or alarm) and "5655081".pn. | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:50 |
| L32 | 315 | (alert or alarm) near severit\$4 | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:55 |
| L33 | 0 | (alert or alarm) near severit\$4 near15 percentage\$1 near2 risk\$1 | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:56 |
| L34 | 0 | (alert or alarm) near15 percentage\$1 near2 risk\$1 | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:56 |
| L35 | 197 | (alert or alarm) near15 severit\$4 near level\$1 | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:57 |
| L36 | 646019 | (alert or alarm) near15 severit\$4 near level\$1and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:57 |
| L37 | 9 | (alert or alarm) near15 severit\$4 near level\$1 and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 15:57 |

| | | | | | | |
|-----|-------|---|--------------------|----|-----|------------------|
| S1 | 1 | "20030023721" | US-PGPUB; USPAT | OR | OFF | 2005/07/21 18:16 |
| S2 | 255 | (alert or alarm) near10 (message\$1 or notification\$1) same context\$1 | US-PGPUB; USPAT | OR | OFF | 2005/07/21 18:18 |
| S3 | 9 | (alert or alarm) near10 (message\$1 or notification\$1) same context\$1.ab. | US-PGPUB; USPAT | OR | OFF | 2005/07/21 18:21 |
| S4 | 981 | (alert or alarm) near10 (message\$1 or notification\$1).ab. | US-PGPUB; USPAT | OR | OFF | 2005/07/21 18:21 |
| S5 | 170 | (alert or alarm) near10 (message\$1 or notification\$1).ab. and context\$1 | US-PGPUB; USPAT | OR | OFF | 2005/07/21 18:33 |
| S6 | 981 | (alert or alarm) near10 (message\$1 or notification\$1).ab. | US-PGPUB; USPAT | OR | OFF | 2005/07/21 18:33 |
| S7 | 127 | (alert or alarm) near10 (message\$1 or notification\$1).ab. and ("1997" or "1996" or "1995"). ay. | US-PGPUB; USPAT | OR | OFF | 2005/07/21 18:41 |
| S8 | 127 | (alert or alarm) near10 (message\$1 or notification\$1).ab. and ("1997" or "1996" or "1995"). ay. and (alert or alarm) near10 (message\$1 or notification\$1) | US-PGPUB; USPAT | OR | OFF | 2005/07/21 18:44 |
| S9 | 57 | alert near10 (message\$1 or notification\$1).ab. and ("1997" or "1996" or "1995").ay. and alert near10 (message\$1 or notification\$1) | US-PGPUB; USPAT | OR | OFF | 2005/07/21 18:46 |
| S10 | 1 | "5958012".pn. | US-PGPUB; USPAT | OR | OFF | 2005/07/21 18:46 |
| S11 | 0 | "5958012".pn. and (alert or alarm) near10 (message\$1 or notification\$1) | US-PGPUB; USPAT | OR | OFF | 2005/07/21 18:47 |
| S12 | 1 | "5958012".pn. and (alert or alarm) | US-PGPUB; USPAT | OR | OFF | 2005/07/21 18:47 |
| S13 | 1 | "5958012".pn. and (alert or alarm) and message\$1 | US-PGPUB; USPAT | OR | OFF | 2005/07/21 18:48 |
| S14 | 1 | "5958012".pn. and (alert or alarm) and (message\$1 or notification\$1) | US-PGPUB; USPAT | OR | OFF | 2005/07/21 18:48 |
| S15 | 47836 | (alert or alarm) and (message\$1 or notification\$1) | US-PGPUB; USPAT | OR | OFF | 2005/07/21 18:48 |
| S16 | 75 | (alert or alarm) near10 (message\$1 or notification\$1).ab. and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/24 14:57 |

| | | | | | | |
|-----|------|--|-----------------|----|-----|------------------|
| S17 | 1 | ((alert or alarm) near10 (message\$1 or notification\$1) same context).ab. and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/22 11:42 |
| S18 | 11 | ((alert or alarm) near10 (message\$1 or notification\$1) same context) and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/22 11:44 |
| S19 | 11 | ((alert or alarm) near10 (message\$1 or notificat\$5) same context) and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/22 11:44 |
| S20 | 12 | ((alert\$ or alarm) near10 (message\$1 or notificat\$5) same context) and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/22 11:44 |
| S21 | 11 | ((alert\$1 or alarm\$1) near10 (message\$1 or notificat\$5) same context) and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/22 11:45 |
| S22 | 2516 | (alert\$1 or alarm\$1) near10 (message\$1 or notificat\$5) and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/22 11:45 |
| S23 | 23 | (alert\$1 or alarm\$1) near10 (message\$1 or notificat\$5).ab. and context and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/22 12:03 |
| S24 | 9 | ("5655081" "5857190" "6000045" "6057757" "6131118" "6154849" "6298378" "6704874" "6707795").pn. | US-PGPUB; USPAT | OR | OFF | 2005/07/22 14:28 |
| S25 | 1663 | report\$3 near10 (alert\$1 or alarm\$1) near10 (information\$1 or data) | US-PGPUB; USPAT | OR | OFF | 2005/07/22 14:29 |
| S26 | 57 | report\$3 near10 (alert\$1 or alarm\$1) near10 (information\$1 or data).ab. | US-PGPUB; USPAT | OR | OFF | 2005/07/22 14:29 |
| S27 | 6 | report\$3 near10 (alert\$1 or alarm\$1) near10 (information\$1 or data).ab. and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/22 14:44 |
| S28 | 229 | (alert\$1 or alarm\$1) near10 (information\$1 or data).ab. and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/22 14:32 |
| S29 | 153 | (alert\$1 or alarm\$1) near10 (information\$1 or data).ab. and @rlad < "19970715" and location | US-PGPUB; USPAT | OR | OFF | 2005/07/22 14:32 |
| S30 | 153 | (alert\$1 or alarm\$1) near10 (information\$1 or data).ab. and @rlad < "19970715" and location | US-PGPUB; USPAT | OR | OFF | 2005/07/22 14:33 |
| S31 | 208 | report\$3 near10 (alert\$1 or alarm\$1) near10 (information\$1 or data) and @rlad < "19970715" | US-PGPUB; USPAT | OR | OFF | 2005/07/22 14:44 |

| | | | | | | |
|-----|-----|--|--------------------|----|-----|------------------|
| S32 | 177 | report\$3 near10 (alert\$1 or alarm\$1) near10 (information\$1 or data) and @rlad < "19970715" and location | US-PGPUB; USPAT | OR | OFF | 2005/07/22 16:54 |
| S33 | 1 | "6704807".pn. | US-PGPUB; USPAT | OR | OFF | 2005/07/24 14:02 |